

CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks					
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing			300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ14-¾" (7/16-20 UNF)								
7001	■																																	604 Models	
7001		■																																605 Models	
7001			■																															646 Models	
7001				■																														6401 Models	
7001					■																													6403 Models	
7001						■																												6900 Models	
7001							■																											6905TU Models	
7001								■																										6905TUE Models	
7002		■																																604 Models	
7002			■																															605 Models	
7002				■																														646 Models	
7002					■																													6401 Models	
7002						■																												6403 Models	
7002							■																											6900 Models	
7002								■																										6905TU Models	
7002									■																									6905TUE Models	
7003			■																															604 Models	
7003				■																														605 Models	
7003					■																													646 Models	
7003						■																												6401 Models	
7003							■																											6403 Models	
7003								■																										6900 Models	
7003									■																									6905TU Models	
7003										■																								6905TUE Models	
7005				■																														604G Models	
7005					■																													605G Models	
7005						■																												646G Models	
7008																																		All Models except 642 Series	SPDT
7008																																		All Models except 642 Series	DPDT
7010																																		604P Models	
7010																																		605P Models	
7010																																		646PE Models	
7011																																		604DZModels	See Industrial Price List (Form 227/7A)
7011																																		604GZ Models	See Industrial Price List (Form 227/7A)
7011																																		604VZ Models	See Industrial Price List (Form 227/7A)
7011																																		605DZ Models	See Industrial Price List (Form 227/7A)
7011																																		605GZ Models	See Industrial Price List (Form 227/7A)



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks													
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing			300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount								
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ514-¾" (7/16-20 UNF)									½" BSPT (Tapered)	¼" BSPP (Straight Thread) Aluminum	¼"-18 NPT	2-meter Free	3-meter Free	5-meter Free		
7011																																						605VZ Models	See Industrial Price List (Form 227/7A)				
7011																																							646DZ Models	See Industrial Price List (Form 227/7A)			
7011																																							646GZ Models	See Industrial Price List (Form 227/7A)			
7011																																							646VZ Models	See Industrial Price List (Form 227/7A)			
7023																																							604GZ Models				
7023																																							605GZ Models				
7023																																							646GZE Models				
7030																																								604GZ Models	SPDT		
7030																																								605GZ Models	SPDT		
7030																																								646GZE Models	SPDT		
7030																																								604GZ Models	DPDT		
7030																																								605GZ Models	DPDT		
7030																																								646GZE Models	DPDT		
7032																																									604GZ Models		
7032																																									605GZ Models		
7034																																									All Models	Contact CCS for availability and pricing.	
7035																																									6900GZ Models		
7035																																									6900P Models	7038 Option is also included on P Models	
7038																																									6900P Models		
7038																																									6905P Models		
7039																																									604* <small>TU</small> Models only	SPDT	
7039																																									605* <small>TU</small> Models only	SPDT	
7039																																									646* <small>TU</small> Models only	SPDT	
7039																																									6401* <small>TU</small> Models only	SPDT	
7039																																									6403* <small>TU</small> Models only	SPDT	
7039																																									6900* <small>TU</small> Models only	SPDT	
7039																																									6905* <small>TU</small> Models only	SPDT	
7039																																									604* <small>TU</small> Models only	DPDT	
7039																																									605* <small>TU</small> Models only	DPDT	
7039																																									646* <small>TU</small> Models only	DPDT	
7039																																									6401* <small>TU</small> Models only	DPDT	
7039																																									6403* <small>TU</small> Models only	DPDT	
7039																																									6900* <small>TU</small> Models only	DPDT	
7039																																									6905* <small>TU</small> Models only	DPDT	
7040																																										604* <small>TU</small> Models only	SPDT
7040																																										605* <small>TU</small> Models only	SPDT



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm				Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks									
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads				Manual after Increasing	300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount			
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy									SAEJ14-¾" (7/16-20 UNF)	½" BSPT (Tapered)	¼" BSPP (Straight Thread) Aluminum
7040																																			646* TU Models only	SPDT	
7040																																			6401* TU Models only	SPDT	
7040																																			6403* TU Models only	SPDT	
7040																																				6900* TU Models only	SPDT
7040																																				6905* TU Models only	SPDT
7040																																				604* TU Models only	DPDT
7040																																				605* TU Models only	DPDT
7040																																				646* TU Models only	DPDT
7040																																				6401* TU Models only	DPDT
7040																																				6403* TU Models only	DPDT
7040																																				6900* TU Models only	DPDT
7040																																				6905* TU Models only	DPDT
7041																																				604* TU Models only	SPDT
7041																																				605* TU Models only	SPDT
7041																																				646* TU Models only	SPDT
7041																																				6401* TU Models only	SPDT
7041																																				6403* TU Models only	SPDT
7041																																				6900* TU Models only	SPDT
7041																																				6905* TU Models only	SPDT
7041																																				604* TU Models only	DPDT
7041																																				605* TU Models only	DPDT
7041																																				646* TU Models only	DPDT
7041																																				6401* TU Models only	DPDT
7041																																				6403* TU Models only	DPDT
7041																																				6900* TU Models only	DPDT
7041																																				6905* TU Models only	DPDT
7042																																				6900GZE Models	
7042																																				6900PE Models	7038 Option included
7043																																				6900GZE Models (6900G)	SPDT
7043																																				6900PE Models (6900P)	SPDT
7043																																				6905E Models (6905G/6905P)	SPDT
7043																																				6900GZE Models (6900G)	DPDT
7043																																				6900PE Models (6900P)	DPDT
7043																																				6905E Models (6905G/6905P)	DPDT
7044																																				604GC (2, 11, 3, 5, 7 Ranges only) Models	
7044																																				605GC (2, 11, 3, 5, 7 Ranges only) Models	
7044																																				646GC (2, 11, 3, 5, 7 Ranges only) Models	
7044																																				6900GC Models	



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks					
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing			300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ514-¾" (7/16-20 UNF)								
7044																																		6905GC Models	
7045																																		604GC (2, 11, 3, 5, 7 Ranges only) Models	
7045																																		605GC (2, 11, 3, 5, 7 Ranges only) Models	
7045																																		646GC (2, 11, 3, 5, 7 Ranges only) Models	
7045																																		6900GC Models	
7045																																		6905GC Models	
7047																																		6403 Models	
7048																																		6403T Models	
7049																																		6403T Models	
7050																																		6403T Models	
7054																																		611E Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		642 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		646 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		672 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		673 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		674 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)
7054																																		675 Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston		Electrical						Reset	Body					Applicability (Green Square = Applicable)	Remarks																			
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	3/4" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing	300 SST	Epoxy Paint			316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount																
										316 SST	MS33649-4	1/2"-14 NPT 316 SST	1/2"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ514-1/4" (7/16-20 UNF)									1/2" BSPT (Tapered)	1/4" BSPP (Straight Thread) Aluminum	1/4"-18 NPT	2-meter Free	3-meter Free	5-meter Free										
7054																																								6900E Models Use 7090 for Non-Explosion Proof / Non-Hazardous Models	(Hazardous Area Option)										
7055																																								6900TUE Models	Standard Capillary Adder. See Price List										
7055																																								6905TUE Models	Standard Capillary Adder. See Price List										
7056																																									6900TUE Models	Standard Capillary Adder. See Price List									
7056																																										6905TUE Models	Standard Capillary Adder. See Price List								
7057																																										6900TUE Models	Standard Capillary Adder. See Price List								
7057																																											6905TUE Models	Standard Capillary Adder. See Price List							
7058																																											6900GZE Models								
7058																																											6905GZE Models								
7059																																												6900GZE Models							
7059																																												6905GZE Models							
7063																																													604G Models						
7063																																													605G Models						
7063																																													646GE Models						
7064																																													6900GZE-7042 Models						
7064																																														6900PE Models	7038 Option is also included on PE Models				
7065																																															646DZE-7011 Models	SPDT			
7065																																															646ZE-7011 Models	DPDT			
7065																																																611GZE Models	SPDT		
7065																																																646DZE-7011 Models	SPDT		
7065																																																646GZE-7011 Models	SPDT		
7065																																																646VZE-7011 Models	SPDT		
7065																																																646TUE-7011 Models	SPDT		
7065																																																672DE Models	SPDT		
7065																																																674DE Models	SPDT		
7065																																																6900GZE Models	SPDT		
7065																																																	611GZE Models	DPDT	
7065																																																	646DZE-7011 Models	DPDT	
7065																																																	646GZE-7011 Models	DPDT	
7065																																																	646VZE-7011 Models	DPDT	
7065																																																		646TUE-7011 Models	DPDT
7065																																																		672DE Models	DPDT



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm				Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks							
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	3/4" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads				Manual after Increasing	300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount	
										316 SST	MS33649-4	1/2"-14 NPT 316 SST	1/2"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy									SAEJ514-1/4" (7/16-20 UNF)
7065																																		674DE Models	DPDT
7065																																		6900GZE Models	DPDT
7066																																		6900E Models (Range 24 not applicable) Use 7091 for Non-Explosion Proof / Non-Hazardous Models	Explosion Proof / Hazardous Area Option.
7066																																		6905GZE Models (Range 24 not applicable) Use 7091 for Non-Explosion Proof / Non-Hazardous Models	Explosion Proof / Hazardous Area Option.
7067																																		6900GZ Models (Range 24 not applicable)	SPDT
7067																																		6905GZ Models (Range 24 not applicable)	SPDT
7067																																		6900GZ Models (Range 24 not applicable)	DPDT
7067																																		6905GZ Models (Range 24 not applicable)	DPDT
7068																																		6900GZ-7042 Models (Range 24 not applicable)	
7068																																		6905GZE-7042 Models (Range 24 not applicable)	
7069																																		6900GZ-7042 Models (Range 24 not applicable)	SPDT
7069																																		6905GZE-7042 Models (Range 24 not applicable)	SPDT
7069																																		6900GZ-7042 Models (Range 24 not applicable)	DPDT
7069																																		6905GZE-7042 Models (Range 24 not applicable)	DPDT
7074																																		6900GZ Models (Range 24 not applicable)	
7074																																		6905GZ Models (Range 24 not applicable)	
7075																																		611 Non-Hazardous Models Only (Standard on 675)	SPDT ONLY
7075																																		690 Non-Hazardous Models Only (Standard on 675)	SPDT ONLY
7075																																		6900 Non-Hazardous Models Only (Standard on 675)	SPDT ONLY
7076																																		611GE Models	SPDT



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston	Electrical						Reset	Body					Applicability (Green Square = Applicable)	Remarks									
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	3/4" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing	300 SST			Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount					
										316 SST	MS33649-4	1/2"-14 NPT 316 SST	1/2"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ14-3/4" (7/16-20 UNF)									1/2" BSPT (Tapered)	1/4" BSPP (Straight Thread) Aluminum	1/4"-18 NPT	2-meter Free	3-meter Free
7076																																				646DE Models	SPDT			
7076																																				646DCE Models	SPDT			
7076																																				646GE Models	SPDT			
7076																																				646GCE Models	SPDT			
7076																																					646PE Models	SPDT		
7076																																					646TE Models	SPDT		
7076																																					6900DZE Models	SPDT		
7076																																						6900GE Models	SPDT	
7076																																						6900GCE Models	SPDT	
7076																																						6900PE Models	SPDT	
7076																																						6900TE Models	SPDT	
7076																																						6900TUE Models	SPDT	
7076																																						611GE Models	DPDT	
7076																																						646DE Models	DPDT	
7076																																						646DCE Models	DPDT	
7076																																						646GE Models	DPDT	
7076																																						646GCE Models	DPDT	
7076																																						646PE Models	DPDT	
7076																																						646TE Models	DPDT	
7076																																						6900DZE Models	DPDT	
7076																																						6900GE Models	DPDT	
7076																																						6900GCE Models	DPDT	
7076																																						6900PE Models	DPDT	
7076																																						6900TE Models	DPDT	
7076																																						6900TUE Models	DPDT	
7077																																						611 Non-Hazardous Models Only	SPDT ONLY	
7077																																						690 Non-Hazardous Models Only	SPDT ONLY	
7077																																						6900 Non-Hazardous Models Only	SPDT ONLY	
7078																																						6900GZE Models		
7078																																						6905GZE Models		
7079																																						6900GZE Models	SPDT	
7079																																						6900PE Models	7038 Option included	
7079																																						6905GZE Models	SPDT	
7079																																						6900GZE Models	DPDT	
7079																																							6900PE Models	7038 Option included
7079																																						6905GZE Models	DPDT	



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm				Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks								
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads				Manual after Increasing	300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount		
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy									SAEJ14-¾" (7/16-20 UNF)	½" BSPT (Tapered)
7081																																		646 Models (Standard on 6905)	ATEX	
7081																																		672D Models (Standard on 6905)	ATEX	
7081																																		6900E Models (Standard on 6905)	ATEX	
7082																																		6900GZ Models		
7082																																		6900GZE Models		
7082																																		6905GZE Models		
7082																																		6900PE Models		
7082																																		6905PE Models		
7083																																		Hazardous Area Models Only 300 Series SST Wetted Part Materials ; All elastomers meet - 65°F	Contact CCS for availability and pricing.	
7084																																		6900GZE Models	SPDT	
7084																																		6905GZE Models	SPDT	
7084																																		6900GZE Models	DPDT	
7084																																		6905GZE Models	DPDT	
7084																																		6900PE Models	SPDT 7038 Option included	
7084																																		6900PE Models	DPDT 7038 Option included	
7085																																			6900GZE Models	SPDT
7085																																			6905GZE Models	SPDT
7085																																			6900GZE Models	DPDT
7085																																			6905GZE Models	DPDT
7085																																			6900PE Models	SPDT 7038 Option included
7085																																			6900PE Models	DPDT 7038 Option included
7086																																			6900GZE Models	
7086																																			6905GZE Models	
7087																																			6900GZE Models	SPDT
7087																																			6905GZE Models	SPDT
7087																																			6900GZE Models	DPDT
7087																																			6905GZE Models	DPDT
7088																																			6900GZ Models	
7088																																			6900P Models	
7088																																			6905GZE Models	
7089																																			6900GZ Models	



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm				Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks									
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantlum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	3/4" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads				Manual after Increasing	300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount			
										316 SST	MS33649-4	1/2"-14 NPT 316 SST	1/2"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy									SAEJ514-3/4" (7/16-20 UNF)	1/2" BSPT (Tapered)	1/4" BSPP (Straight Thread) Aluminum
7089																																			6905GZE Models		
7089																																			6900P Models		
7089																																			6905PE Models		
7090																																			611 Models Non-Explosion Proof / Non- Hazardous Option	Use 7054 for Explosion Proof "E" Models	
7090																																			646 Models Non-Explosion Proof / Non- Hazardous Option	Use 7054 for Explosion Proof "E" Models	
7090																																			6900 Models Non-Explosion Proof / Non- Hazardous Option	Use 7054 for Explosion Proof "E" Models	
7091																																			6900GZ Models (Range 24 not applicable) Non-Explosion Proof / Non- Hazardous	Use 7066 for Explosion Proof "E" Models	
7092																																			611 Models Non-Explosion Proof / Non- Hazardous Area	SPDT Use 7076 for Explosion Proof "E" Models	
7092																																			675 Models Non-Explosion Proof / Non- Hazardous Area	SPDT Use 7076 for Explosion Proof "E" Models	
7092																																			6900 Models Non-Explosion Proof / Non- Hazardous Area	SPDT Use 7076 for Explosion Proof "E" Models	
7092																																			611 Models Non-Explosion Proof / Non- Hazardous Area	DPDT Use 7076 for Explosion Proof "E" Models	
7092																																			675 Models Non-Explosion Proof / Non- Hazardous Area	DPDT Use 7076 for Explosion Proof "E" Models	
7092																																			6900 Models Non-Explosion Proof / Non- Hazardous Area	DPDT Use 7076 for Explosion Proof "E" Models	
7093																																				6900GE Models	
7094																																				6900E Models (Range 24 not applicable)	Explosion Proof / Hazardous Area Option
7094																																				6905GZE Models (Range 24 not applicable)	Explosion Proof / Hazardous Area Option
7095																																				611E Models	Hazardous Area Option
7095																																				646 Models	Hazardous Area Option



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm				Port						Piston	Electrical						Reset	Body				Applicability (Green Square = Applicable)	Remarks									
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	¾" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads				Manual after Increasing	300 SST	Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount			
										316 SST	MS33649-4	½"-14 NPT 316 SST	½"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy									SAEJ14-¾" (7/16-20 UNF)	½" BSPT (Tapered)	¼" BSPP (Straight Thread) Aluminum
7095																																				6900E Models	Hazardous Area Option
7096																																				6900GE Models	SPDT
7096																																				6900PE Models	SPDT
7096																																				6900GE Models	DPDT
7096																																				6900PE Models	DPDT
7097																																				6900GE Models	SPDT
7097																																				6900GE Models	DPDT
7098																																				6900GE Models	SPDT
7098																																				6900GE Models	DPDT
7099																																				6900TUE Models	SPDT
7099																																				6905TUE Models	SPDT
7099																																				646TUE Models	SPDT
7099																																				6900TUE Models	DPDT
7099																																				6905TUE Models	DPDT
7099																																				646TUE Models	DPDT
7100																																				6900TUE Models	SPDT



CCS Industrial Suffix Matrix

Suffix	Capillary			O-Ring	Diaphragm						Port						Piston	Electrical						Reset	Body					Applicability (Green Square = Applicable)	Remarks						
	10'	15'	25'	Viton Encapsulated Teflon-Silicon	Viton/Dacron	316 SST	Tantalum	Monel	Hastelloy	Male			Female			316 SST	Hastelloy	Gold Contacts	3/4" NPT Conduit	Explosion Proof	M20 Connection	M20 X 1.5	Teflon Wire	4-blade Connector Conforms to DIN-43650	Leads			Manual after Increasing	300 SST			Epoxy Paint	316 Series SST	E.N.P. Front Cover and Locks	Flush 1" NPTM Mount		
										316 SST	MS33649-4	1/2"-14 NPT 316 SST	1/2"-14 NPTF	300 Series SST	316 SST										Monel	Hastelloy	SAEJ14-3/4" (7/16-20 UNF)									1/2" BSPT (Tapered)	1/4" BSPP (Straight Thread) Aluminum
7100																																			6905TUE Models	SPDT	
7100																																				646TUE Models	SPDT
7100																																				6900TUE Models	DPDT
7100																																				6905TUE Models	DPDT
7100																																				646TUE Models	DPDT
7101																																				6900GE Models	SPDT
7101																																				6900GE Models	DPDT
7102																																				6900GE Models	SPDT
7102																																				6900GE Models	DPDT
7103																																				6900GE Models	SPDT
7103																																				6900PE Models	SPDT
7103																																				6900GE Models	DPDT
7103																																				6900PE Models	DPDT
7104																																				611E Models Hazardous Area Option	
7104																																				646 Models Hazardous Area Option	
7104																																				672 Models Hazardous Area Option	
7104																																				673 Models Hazardous Area Option	
7104																																				674 Models Hazardous Area Option	
7104																																				6900*E Models Hazardous Area Option	
7105																																				6900*E Models	SPDT
7105																																				646*E Models	SPDT
7105																																				611*E Models	SPDT
7105																																				674*E Models	SPDT
7105																																				690*E Models	SPDT
7105																																				6905*E Models	SPDT
7105																																				675*E Models	SPDT
7105																																				6900*E Models	DPDT
7105																																				646*E Models	DPDT
7105																																				611*E Models	DPDT
7105																																				674*E Models	DPDT
7105																																				690*E Models	DPDT
7105																																				6905*E Models	DPDT
7105																																				675*E Models	DPDT
7106																																				6900PE Models	